

Product Datasheet

www.1-light.eu

New 2025 Edition 3>Strips & Profiles

7846H/C



Flexible COB LED light strip, 480LEDs/meter, 14.5W/meter.

Supplied in 5 meters roll with 3M double face adhesive tape.

Can be cut every 5cm.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



Gallery



Related items



7846B



7846C



7846P

Physical Specification

Item Group

New 2025 Edition 3

Family	Strips & Profiles
Order Code	7846H/C
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	(III)
Power(Watts)	14,5W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
F Mark	F

Illumination Data

Colour Temperature	4000K
Lumen Output	2175lm/m
Light Efficiency	150lm/W
CRI	90
Illumination Diagram	

Packing Info

 Pcs/Carton
 50

 Barcode
 5291889088257

 HS Code
 9405499090

Energy Label



Energy Class

Certification & Warranty

Warranty 5 years

switch to one light!

