

Product Datasheet

08 Strips & Profiles>The COB Strip

7846/W



Flexible COB LED light strip, 512LEDs/m, 14W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 6,25cm.

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Dimensions

Cut every 6,25cm	
	10
	10mm

Accessories

Downloads

IES

ŝ





CE

7846C



7846P



20030

Physical Specification



Item Group	08 Strips & Profiles
Family	The COB Strip
Order Code	7846/W
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	14W/m
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
F Mark	F

Illumination Data


Lumen Output	1420lm/m
Light Efficiency	101,43lm/W
CRI	90
Illumination Diagram	



Packing Info

Box Weight	0.224kg
Pcs/Carton	50
Barcode	5291889071303
HS Code	9405499090

Energy Label



Е

Certification & Warranty

Warranty

5 years

switch to one light!



