



08 Strips & Profiles>The High Power Strips 24V

7880/W



Flexible LED light strip, with SMD2835 LEDs, 120LEDs/meter, 28,8W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (12-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	08 Strips & Profiles
Family	The High Power Strips 24V
Order Code	7880/W
Shape	Rectangular
Length	5000mm
Width	20mm
Surface Ceiling	Yes





Surface Wall
Surface Floor/Ground
Indoor

Yes
Yes
Yes

Electrical Characteristics

Fitting

Input Type
Input Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
LED Number
F Mark

Constant Voltage
24V DC

28,8W/m
IP20
LED built in
SMD 2835
Epistar
120LEDs/m


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
2260lm/m
78,47lm/W
90



Packing Info

Box Length
Box Width
Box Height
Box Weight

22,5cm
22,5cm
3cm
0.305kg

Pcs/Carton	40
Barcode	5291889040453
HS Code	9405499090

Energy Label



Energy Class	F
--------------	---

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

one
LIGHT

