


23 Drivers > Mini Series Drivers Constant Current

89004A



IP66 Constant current LED driver, non-dimmable for 700mA LED spots / LED fittings, 2-4W.


Complies with standard EN61347-1 and any other specific standards.



Downloads



Dimensions




Physical Specification

| | |
|------------|--------------------------------------|
| Item Group | 23 Drivers |
| Family | Mini Series Drivers Constant Current |
| Order Code | 89004A |
| Material | Plastic |
| Shape | Rectangular |
| Length | 52mm |
| Width | 27mm |
| Height | 22mm |
| Indoor | Yes |
| Outdoor | Yes |

Electrical Characteristics

Gear

| | |
|---------------------|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 2-4W |
| Power Factor | 0,5 |
| Constant Current | Yes |
| 700mA | 2,8-5,7V |
| IP Rating | IP66 |
| Safety Class |  |
| Dimmable | No |
| Ambient Temp | 50°C |
| Operating Temp | 85°C |
| Housing Material | Plastic |
| Output Terminal | Cable |
| Fast Connector | Yes |
| Fast Connector Type | One Light 700 |
| Brand | One Light Ltd |
| Protection | Short Circuit / Overload / Overheat Protection |

Packing Info

| | |
|------------|---------------|
| Box Weight | 0.052kg |
| Pcs/Carton | 200 |
| Barcode | 5291889041061 |
| HS Code | 8504408390 |

Certification & Warranty

switch to
one light!

one
LIGHT

