



Product Datasheet

22 Emergency Lights>Emergency LED Wall & Ceiling

89404



5W LED Wall and ceiling Exit sign, IP65.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions

352mm		
0		
	0	110mm

Physical Specification

Item Group	22 Emergency Lights
Family	Emergency LED Wall & Ceiling
Order Code	89404
Colour	White
Material	Plastic
Shape	Rectangular
Length	352mm
Width	110mm
Height	65mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes

Outdoor	Yes
Adjustable	No
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	5W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	5W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Number	41
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Power(Watts)	5W			
Power Factor	0,9			
Constant Current	Yes			
IP Rating	IP20			
Safety Class				
Dimmable	No			
Housing Material	Plastic			
Output Terminal	Connector			
Battery Capacity	1500mAh			
Battery Voltage	3,2V			
Operation Time	3Hrs			
Charging Time	24Hrs			
Maintained	Yes			
Non Maintained	Yes			
lumination Data				
Colour Temperature	6000K			
Lumen Output	400lm			
Light Efficiency	80lm/W			
Illumination Diagram				
Packing Info				
Box Weight	0.725kg			
Pcs/Carton	12			
Barcode	5291889039044			

Certification & Warranty

HS Code

9405114090

switch to one light!

